

Canvas LTI Advantage Set Up

Directions For Peerceptiv


Description: These instructions will configure Peerceptiv for connection as an LTI Advantage tool available for use in Canvas assignments and courses. Steps 1-4 and the Group Sync instructions on page 4 must be completed by a canvas admin with permissions to manage developer keys. Further steps can be completed by instructors if they have the ability to add registered apps into their own courses.

Process:

1. As a canvas admin navigate to Admin > Developer Keys



2. On the developer keys page, under the account tab select +Developer Key > + LTI Key



3. On the create a new LTI Key Page enter the following information
 - Key Name: Peerceptiv
 - Owner Email: support@peerceptiv.com
 - Redirect URI(s) (note copy and paste all 5 urls separated by spaces. It will not work if comma delimited): <https://go.peerceptiv.com/LtiLaunch>
<https://api.peerceptiv.com/lti/launch> <https://app.peerceptiv.com/lti/launch>

<https://api.peerceptiv.com/lti/launch/course>
<https://api.peerceptiv.com/lti/launch/assignment>

- Notes (Optional): Peerceptiv
- Configure Method: Enter URL
- JSON URL: https://api.peerceptiv.com/canvas_advantage_beta_config.json
- Click Save

4. After saving the new key, on the developer keys dashboard

Key Settings

Key Name:

Owner Email:

Redirect URIs:

Notes:

Configure

Method

JSON URL

- Set the Key State to “ON” if it is “OFF” by default


State	Actions
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 2px solid green; padding: 5px 10px; background-color: green; color: white; font-weight: bold;">ON</div> <div style="font-weight: bold;">OFF</div> </div>	<div style="display: flex; justify-content: center; align-items: center;"> </div>

- **Record the newly generated Client ID and provide said Client ID as well as the canvas installation URL to Peerceptiv Support (email: support@peerceptiv.com).**


Name	Owner Email	Details	Stats	Type	State	Actions
Peerceptiv Example	support@peerceptiv.com	105450000000000147 Show Key	Access Token Count: 0 Created: Aug 1 at 10:12pm Last Used: Never		<div style="display: flex; justify-content: space-around;"> <div style="border: 2px solid green; padding: 2px 5px; background-color: green; color: white; font-weight: bold;">ON</div> <div>OFF</div> </div>	<div style="display: flex; justify-content: center; align-items: center;"> </div>

The Canvas Administrator MUST send the Client ID and the Canvas installation URL to support@peerceptiv.com or the course configuration will not work. If you are configuring Group Sync as well (recommended - see page 4 of this document), you can send us all of the information at one time.

- Note: this step can be completed at the account level, sub-account level, or single course level.* Navigate to the course/account Peerceptiv is being enabled in. Once in that course navigate to Settings > Apps.



- On the Settings > Apps tab, click “View App Configurations” and then +App




- In the +App pop up select Configuration Type > “By Client ID” in the drop down



- In the client ID field enter the client ID listed under details in step 4, or if previously configured, obtained from Peerceptiv Support (support@peerceptiv.com).



- If everything is configured properly then a popup should appear asking to confirm installation of Peerceptiv into the course. Click confirm.



At this point Peerceptiv is added into the course and there are various options for integrating it more fully, including adding Group Sync below.

Adding Peerceptiv Group Sync to Canvas:

In order to enable Peerceptiv group sync, a canvas admin should take the following actions:

1. [Visit](#) the “Developer Keys” page available to Canvas admins in the admin section
2. Scroll to “Add Developer Key > API Key” on the developer keys page to [add a new key](#)
3. Use the following settings to create a new developer key for Peerceptiv (other than the logo and redirect URL, end users may substitute values as desired):
 - a. **Key Name:** Peerceptiv
 - b. **Owner Email:** support@peerceptiv.com
 - c. **Redirect URIs:** <https://api.peerceptiv.com/oauth/return/canvas>
 - d. **Redirect URI (Legacy):** leave this empty
 - e. **Vendor Code (LTI 2):** leave this empty
 - f. **Icon URL:** <https://api.peerceptiv.com/favicon.ico>
 - g. **Notes:** Any necessary notes can be added here, left up to the end user
 - h. **Test Cluster Only:** unchecked
 - i. **Client Credentials Audience:** Canvas
 - j. **Enforce Scopes:** [See List of Scopes Here](#). Alternatively, both enforce scopes off and the Read Only global scope option will function correctly.

The admin that configures the new developer key will then need to provide Peerceptiv with the generated **ID/Key pair**.

What Peerceptiv Needs After Registering the Tool:

ID:

Key: